# UNCLASSIFIED

AD 414803

# DEFENSE DOCUMENTATION CENTER

**FOR** 

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

CATALOGED BY  $oldsymbol{ ilde{D}}_{oldsymbol{l}}$ 

I THE THE

TECHNICAL NOTE R-45

A FORTRAN SUBROUTINE TO CALCULATE AMBIENT PROPERTIES AT VARIOUS ALTITUDES

Prep red By

William B. Wirring

April, 1963



#### **TECHNICAL NOTE R-45**

# A FORTRAN SUBROUTINE TO CALCULATE AMBIENT PROPERTIES AT VARIOUS ALTITUDES

April, 1963

Prepared For

DIRECTORATE OF MISSILE INTELLIGENCE ARMY MISSILE COMMAND

Ву

SCIENTIFIC RESEARCH LABORATORIES BROWN ENGINEERING COMPANY, INC.

Contract No. DA-01-009-ORD-1068

Prepared By

W. B. Warren

### **ABSTRACT**

This subroutine uses geometric altitude either in Metric or English units to calculate the corresponding atmospheric pressure, density, temperature in both Rankine and Kelvin, speed of sound, and acceleration due to gravity.

This subroutine will compute in either English or Metric units. A control card is used to make this choice. The program is written in FORTRAN II. This program may be obtained from the Scientific Programming Section; Program No. SP32.

Approved By:

Charles F. Ostner

Chief, Missile and Space Intelligence Branch

# TABLE OF CONTENTS

	PAGE NO.
INTRODUCTION	1
ANALYSIS	2
DISCUSSION	3
RESULTS	3
Information Flow Diagram	4
FORTRAN Statement	7
REFERENCES	8

# LIST OF SYMBOLS

b	-	Subscript indicating basic or reference level
Cg	-	Speed of Sound
G	-	Local acceleration due to gravity
g <sub>o</sub>	-	Effective acceleration of gravity at $45^{\circ}32'40''$ , $g_0 = 9.80665 \text{ m sec}^{-2}$
Н	-	Geopotential altitude
$L_{M}$	-	Molecular-scale temperature gradient
М	-	Molecular Weight
m	-	Geometric meter
m¹	-	Geopotential meter
o	•	Subscript indicating sea level value
P	-	Atmospheric pressure
Q	-	Constant $\frac{GM_o}{R}$
R*	-	Universal gas constant = 8.31439 x $10^3$ joules $({}^{\circ}K)^{-1} (K_g)^{-1}$
r	-	Average radius of earth $t = 6,371,239.9$ meters.
Т	-	Real kinetic temperature
$^{T}M$	-	Molecular scale temperature where $T_{M} = (\frac{M_{O}}{M})T$

Altitude in geometric units

Z

ρ - Atmospheric density

Ratio of specific heats of air  $C_p/C_V = 1.4$ 

# PROGRAM SYMBOLS

Symbols	Computer Symbols		<u>Units</u> <u>Metric</u>	English
G	GRAV	Local acceleration due to gravity	meters/sec <sup>2</sup>	ft/sec <sup>2</sup>
Н	Н	Geopotential altitude	meters	ft
ALT	ALT	Geometric altitude at which properties are desired	meters	ft
$^{\mathrm{T}}{}_{M}$	ATEMK	Temperature	o K	
$T_{R}^{O}$	ATEMR	Temperature		°R
P	APNMM	Atmospheric pressure	Newtons/ meters 2	lb/ft <sup>2</sup>
	DEN	Atmospheric density	K <sub>g</sub> /meter <sup>3</sup>	Slugs/ft <sup>3</sup>
Cs	sos	Speed of sound	meters/sec	ft/sec

# INTRODUCTION

This subroutine provides atmospheric density, pressure, temperature, acceleration due to gravity, and geopotential altitude in either Metric or English units. The density is forced to zero at an altitude of 400,000 feet. A card, referred to as units, permits this capability. If "units" \neq 0, the units used are Metric. If "units" = 0, the units used are English. Caution: The units of the input must be the same as the desired output. CON5O must be equal to 0 prior to entering the subroutine the first time.

The program has been checked out and has less than 0.5% error where compared to Reference 1.

Library Functions Used:

EXPF

# **ANALYSIS**

The equations listed below are extracted from Reference 1:

Geopotential altitude, H

$$H = \frac{rz}{z+r}$$

$$G = (g_0) \left(\frac{r}{r+z}\right)^2$$

$$T_m = (T_m)_b + L_m (H - H_b)$$

$$P = P_b \left[ \frac{(T_m)_b}{T_m} \right]^{Q/L_m} \quad \text{when} \quad L_m \neq 0$$

$$P = P_b c \frac{-Q(H-H_b)}{(T_m)_b} \quad \text{when } L_m = 0$$

$$e = \frac{PM_o}{R * T_m}$$


$$C_5 = \left(\frac{\Upsilon R^*}{M_o} T_m\right)^{1/2}$$


# DISCUSSION


The computer program is based on Reference 1. The functions used are those commonly used in main programs using this subroutine. Because of this only about 1400 digits of memory are required.

#### RESULTS

The results of the subroutine have been compared to the data in Reference 1. The error is less than 0.5%.







FORTRAN RUN

C PROGRAMMED BY W B WARREN

C TRAJECTORY ATMOSPHERIC PROPERTIES

SUBROUTINE TAP %GRAV, ALT, ATEMK, APNMM, DEN, SOS, ATEMR

IF %CON50=11,11,13

11 DIMENSION AP\$9,40

CON50 # CDN50 & 1.

00 12 [ # 1,9

12 READ 105, AP\$1, 10, AP\$1, 20, AP\$1, 30, AP\$1, 40

105 FORMAT %4E15.80

READ 100, UNITS

100 FORMATTE15.80

13 IF \*UNITS#500,1000,500

1000 ALT # ALT/3.28083989

VL # VL/3.28083989

500 GRAV #9.80665\*\$6371239.9/\$6371239.9 & ALTIDO +2

H # ALT+6371239.9/%6371239.9 & ALTD

DD 202 I # 2,9

IF  $\#H - AP\#I_112203,202,202$ 

202 CONTINUE

I # 10

203 J # I-1

ATEMK #AP%J,206%H-AP%J,100\*AP%J,30 IF %AP%J,300204,205,204

204 APNMM#AP%J,40+%AP%J,20/ATEMK0+%%.03416479/AP%J,300

GO TO 206

APNMM # APNMM +%%.1020+2.2050 / \*3.281++200

205 APNMM#AP%J.40/EXPF%%.0341647 40+%H-AP%J.100/AP%J.200

206 DEN #\$\$ .00348383940\*APNMM/ATEMKD

SOS #20.046333\*ATEMK\*\*.5

IF\*UNITS#501,502,501

502 GRAV # GRAV+3.28083989

ALT # ALT . 3.2808389

H # H \* 3.2808389

DEN # DEN \* \$\$2.205/\$3.28083989\*\*300/32.1740

SOS # SOS \* 3.28283989

501 ATEMR # %ATEMK-273.160+%9./5.0 & 491.69

IF #UNITS#600,601,600

601 IF #ALI-400000. 0504,504,505

600 IF %ALT -121914.0504,504,505

505 DEN # 0.

SOS # 0.

504 RETURN

**END** 

# REFERENCES

1. U. S. Air Force, "Handbook of Geophysics", The Macmillan Company, New York, pp 1 - 1 thru 1 - 35, 1961.